



EN14351-1:2006 + A1:2010

**Permadoor**  
Upton-upon-Severn  
Worcestershire  
WR8 0RX  
Tel: 01684 595200  
Fax: 01684 594283



Edition: January 2013

### DECLARATION OF PERFORMANCE

Intended use: in construction

#### Essential performance characteristics

ID	Characteristics	Standard Thermoplastic	Solid Thermoplastic	Standard GRP	Standard panic Thermoplastic	Solid panic Thermoplastic	Standard panic GRP
1	Resistance to wind load (EN 12210)	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>
2	Watertightness (EN 12208)	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>
3	Air permeability (EN 12207)	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>
4	Dangerous substances <sup>1</sup>	<i>None</i>	<i>None</i>	<i>None</i>	<i>None</i>	<i>None</i>	<i>None</i>
5	Acoustic performance (EN ISO 140-3)	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>	<i>npd</i>
6	Thermal transmittance <sup>3</sup> (EN ISO 10077-1)	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$	$\leq 1.8 \text{ W}/(\text{m}^2.\text{K})$
7	Ability to release <sup>2</sup>	<i>PASS</i>	<i>PASS</i>	<i>PASS</i>	<i>PASS</i>	<i>PASS</i>	<i>PASS</i>

BM TRADA EC No. 1224 performed type test and issued BM050/030. <sup>1</sup>From statement issued by British Plastics Federation. <sup>2</sup>CE 0425-2326-11 to EN1125: 2008 <sup>3</sup>Report R12269 issued by Wintech 2223 By calculation using EN ISO 10077-1

Declaration of conformity: I, the undersigned hereby declare conformity with the above Directive(s) and Standard(s) as shown

Signature.....

Print: T. S. Roome.....

Title: General Manager.....